




Present

The new roundsling

ALP 

The logo symbol for ALP, consisting of a green triangle with a white stylized 'E' or 'G' symbol inside, set against a black background.

A NEW PRODUCT

PMS INDUSTRIE



As a French manufacturer, we are committed to offer quality products that are increasingly innovative. Today, PMS Industrie is proud to present its new range of round slings: ALP'®.

This range stands out for its refined design and herringbone pattern. More than just an aesthetic detail, this pattern strengthens the sling by adding an extra thickness, thereby increasing its resistance to abrasion. What's more, the sheath has a water-repellent treatment that increases its durability, making ALP'® slings a unique feature on the market.

Made from 100% polyester, ALP'® slings rigorously meet the requirements of standard 1492-2 + A1, guaranteeing optimum performance and safety.



WHY ALP'®?


The ALP'® range draws its inspiration from the majesty and solidity of the famous mountain range «THE ALPES». Just like the Alps, our slings symbolise strength and durability, essential qualities for tackling the most demanding environments.

THE BENEFITS OF THIS RANGE



IMPROVED ABRASION RESISTANCE :

The herringbone weave gives the sling an extra layer of thickness to the sling, increasing its resistance to abrasion and life cycle.



WATER RESISTANCE :

A water-repellent treatment is applied to the Sleeve / Effectively protecting against all types of liquids. A dry sling is lighter, making it easier to use. On the other hand, a wet sling needs time to dry. The ALP® range therefore speeds up the use cycle.



STITCHED PLATED LABEL :

The plated and sewn label is designed to resist tearing during handling, extending the lifespan of the sling and reducing the need for frequent replacement, Therefore, a money saver.

Important reminder: a sling without a label can no longer be used.

TECHNICAL DATA

Manufactured from 0.5 to 40 metres, from 1 to 10 tonnes, safety factor: 1:7.

Composition: sleeve + core + sewing thread : 100% high-tenacity multifilament polyester.

60% thicker sleeve, compared with an 'ELRO' sling.



Manufactured to the exact centrimetre, in compliance with the standard. Can be paired. Please contact us for further information.



									
CMU tonne	1	2	3	4	5	6	8	10	
∅ 1 strand mm	45	52	62	72	80	85	95	105	
References	1 m	ER 11ALP	ER 21ALP	ER 31ALP	ER 41ALP	ER 51ALP	ER 61ALP	ER 81ALP	ER 101ALP
	2 m	ER 12ALP	ER 22ALP	ER 32ALP	ER 42ALP	ER 52ALP	ER 62ALP	ER 82ALP	ER 102ALP
	3 m	ER 13ALP	ER 23ALP	ER 33ALP	ER 43ALP	ER 53ALP	ER 63ALP	ER 83ALP	ER 103ALP
	le m +	ER 1 ...ALP	ER 2 ...ALP	ER 3 ...ALP	ER 4 ...ALP	ER 5 ...ALP	ER 6 ...ALP	ER 8 ...ALP	ER 10 ...ALP



SMARTLink®

THE WRAPPING SYSTEM,
A PMS INDUSTRIE
EXCLUSIVITY



WASTE FREE IS EVEN BETTER



SMARTLink®



Today, for our new range, we are pleased and proud to offer you **A ZERO WASTE PRODUCT.**

0 packaging : 0 plastic, 0 cardboard, 0 paper

The SMART LINK® system is an integral part of the sling, allowing it to be folded and held in place even after use. In the future, this new system will be used throughout our lifting range.

YOUR CONTACT

▲ CUSTOMER CARE

Our customer service team will provide support, advice and technical information on the entire PMS Industrie range.

A service based in France, available Monday to Friday from 8am to 6pm: by telephone: +33 03 81 96 33 34 by email: export@pms-ind.com.

▲ FOLLOW US



pms-ind.com

[LinkedIn](#)

[Facebook](#)



8 route des Planches - 25250 RANG
03 81 96 33 34 - www.pms-ind.com

